

Component List

ValkPro+ | ValkPro+ East West



VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland



T +31(0)174 21 22 23

F +31(0)174 24 27 27



info@valksolarsystems.nl

www.valksolarsystems.nl


ValkPro+ P/L10 - panel support - front

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
724660	Alu front foot ValkPro+ P/L10° middle	0,248	25		
724661	Alu front foot ValkPro+ P/L10° side	0,275	25		

ValkPro+ Max - panel support - front

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
724665	Alu. front foot ValkPro+ Max middle	0,311	25		
724666	Alu. front foot ValkPro+ Max side	0,339	25		

ValkPro+ L10 - panel support - back

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
724650	Alu rear foot ValkPro+ L10° middle	0,413	25		
724651	Alu rear foot ValkPro+ L10° side	0,441	25		

ValkPro+ P10 / Max - panel support - back

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
724670	Alu back foot ValkPro+ P10° / Max middle This back foot can be used in the ValkPro+ P10 and ValkPro+ MAX system.	0,620	15		
724671	Alu back foot ValkPro+ P10° / Max side This back foot can be used in the ValkPro+ P10 and ValkPro+ MAX system.	0,647	15		


Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West











VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

Roof carriers

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
741801200	Galv roof carrier L=1200mm	1,800	100		
741801500	Galv roof carrier L=1500mm	2,222	100		
741802300	Galv roof carrier L=2300mm	3,347	100		
741802400	Galv roof carrier L=2400mm	4,051	100		
741802500	Galv roof carrier L=2500mm	3,630	100		
741802700	Galv roof carrier L=2700mm	4,539	100		
741803500	Galv roof carrier L=3500mm	5,839	100		
741803600	Galv roof carrier L=3600mm	6,001	100		
741803800	Galv roof carrier L=3800mm	6,326	100		
741804200	Galv roof carrier L=4200mm	6,021	100		
741804400	Galv roof carrier L=4400mm	7,301	100		

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West








VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

Roof carriers ValkPro+ Max

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
741803000	Galv roof carrier L=3000mm	5,026	100		
741804500	Galv roof carrier L=4500mm	7,463	100		
741804700	Galv roof carrier L=4700mm	7,789	100		
741804900	Galv roof carrier L=4900mm	8,114	100		
741805100	Galv roof carrier L=5100mm	8,439	100		

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West



VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

ValkPro+ L10 - back plates

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
742510	Galv back plate ValkPro+ L10° L=1780mm (panel length 1520-1720mm)	2,151	100		
742510ZW	Galv back plate ValkPro+ L10° L=1780mm (panel length 1520-1720mm) - black coated	2,149	100		
742512	Galv back plate ValkPro+ L10° L=1980mm (panel length 1720-1920mm)	2,392	100		
742512ZW	Galv back plate ValkPro+ L10° L=1980mm (panel length 1720-1920mm) ZW - black coated	2,391	100		
742515	Galv back plate ValkPro+ L10° L=2180mm (panel length 1920-2120mm)	2,634	100		
742516	Galv back plate ValkPro+ L10° L=2380mm (panel length 2120-2320mm)	2,876	100		
742517	Galv back plate ValkPro+ L10° L=2580mm (panel length 2320-2520mm)	3,112	100		

Component List

ValkPro+ | ValkPro+ East West



VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

ValkPro+ P10 / Max - back plates

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
742520	Galv back plate ValkPro+ P10°/Max L=1160mm (panel width 900 -1100mm)	1,952	100		
742520ZW	Galv back plate ValkPro+ P10° L=1160mm (panel width 900 -1100mm) - black coated	1,946	100		
742521	Galv back plate ValkPro+ P10°/Max L=1360mm (panel width 1100 -1300mm)	2,289	100		
742521ZW	Galv back plate ValkPro+ P10° L=1360mm (panel width 1100 -1300mm) - black coated	2,300	100		
742522	Galv back plate ValkPro+ P10°/Max L=1560mm (panel width 1300 -1500mm)	2,621	100		

ValkPro+ L10 - side plates

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
742540	Galv side plate ValkPro+ L10° universal. The side plate can be mounted both on the left and right side of the ValkPro+ system.	1,067	100		
742540ZW	Galv side plate ValkPro+ L10° universal - black coated The side plate can be mounted both on the left and right side of the ValkPro+ system.	1,067	100		

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West



VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

ValkPro+ P10 - side plates

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
742532	Galv side plate ValkPro+ P10° (left)	4,110	100		
742532ZW	Galv side plate ValkPro+ P10° (left) ZW - black coated	2,445	100		
742533	Galv side plate ValkPro+ P10° (right)	4,110	100		
742533ZW	Galv side plate ValkPro+ P10° (right) ZW - black coated	2,445	100		

ValkPro+ Max - side plate

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
742536	Galv side plate ValkPro+ Max universal. The side plate can be mounted both on the left and right side of the ValkPro+ Max system.	2,640	100		
742536ZW	Galv side plate ValkPro+ Max universal. The side plate can be mounted both on the left and right side of the ValkPro+ Max system.	2,640	100		

Component List

ValkPro+ | ValkPro+ East West



VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

ValkPro+ L10 - mass carriers

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
742563	Galv. ballast carrier ValkPro+ L=1779mm (for panel length 1520-1720mm)	1,487	100		
742564	Galv. ballast carrier ValkPro+ L=1979mm (for panel length 1720-1920mm)	1,660	100		
742565	Galv. ballast carrier ValkPro+ L=2179mm (for panel length 1920-2120mm)	1,834	100		
742566	Galv. ballast carrier ValkPro+ L=2379mm (for panel length 2120-2320mm)	2,370	100		

ValkPro+ P10 / Max - mass carriers

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
742560	Galv. ballast carrier ValkPro+ L=1159mm (for panel width 900-1100mm)	0,949	100		
742561	Galv. ballast carrier ValkPro+ L=1359mm (for panel width 1100-1300mm)	1,123	100		
742562	Galv. ballast carrier ValkPro+ L=1559mm (for panel width 1300-1500mm)	1,296	100		

Component List

ValkPro+ | ValkPro+ East West







VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

Tile carriers and support items

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
729604	Plastic tray for rubber tile carrier for PVC 75x250mm	0,072	175		
729607	Underlay for PVC roof 310x135mm for rubber block	0,060	150		
729610	Rubber pad 100x100x10mm	0,078	150		
729622	Rubber tile carrier - click - 250x75x90mm ValkPro+	0,674	30		
729627	Rubber elevation block - gravel roof - ValkPro+ (Elevation 60mm)	1,260	20		
729629	Rubber tile carrier - click - ValkPro+ PVC (new) Dimensions: 257x80x90mm. Suitable for application on PVC roof membrane.	0,730	30		
729634	Load distributor ValkPro+	0,150	25		

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West







VAN DER VALK






SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

Ballast - tiles

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
7506301545	Tile 30 x 15 x 4,5cm - 4,5kg - Dutch stock	4,500	104		
7506301545G	Tile 30 x 15 x 4,5cm - 4,5kg - English stock	4,500	104		
7506301545SE	Tile 30 x 15 x 4,5cm - 4,5kg - Scandinavian stock	4,500	104		
7506303045	Tile 30 x 30 x 4,5cm - 9kg - Dutch stock	9,000	52		
7506303045G	Tile 30 x 30 x 4,5cm - 9kg - English stock	9,000	52		
7506303045SE	Tile 30 x 30 x 4,5cm - 9kg - Scandinavian stock	9,000	52		

ValkPro+ L10 - extra support for longer panels

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
724710	Alu. Panel support front foot ValkPro+ L10	0,227	25		
724720	Alu. panel support back foot (base) ValkPro+ L10	0,381	25		
724721	Alu. panel support back foot ValkPro+ (base) 150mm	1,142	200		
724730	Alu. panel support back foot (upright) ValkPro+ L10	0,298	25		

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West










VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

Ballast - Foundation accessories

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
725150	Alu. ballast wing ValkPro+	0,085	200		
742610	Galv ballast tray ValkPro+ L10°/L15° L=1780mm (panel length 1520-1720mm)	4,402	100		
742612	Galv ballast tray ValkPro+ L10°/L15° L=1980mm (panel length 1720-1920mm)	4,899	100		
742615	Galv ballast box ValkPro+ L10°/L15° L=2180mm (panel length 1920-2120mm)	5,395	100		
742618	Galv ballast box ValkPro+ L10°/L15° L=2380mm (panel length 2120-2320mm)	5,892	100		
742620	Galv ballast box ValkPro+ P10° L=1160mm(panel length 900-1100mm)	2,863	100		
742621	Galv ballast box ValkPro+ P10° L=1360mm (panel length 1100-1300mm)	3,359	100		
742622	Galv ballast box ValkPro+ P10° L=1560mm (panel length 1300-1500mm)	3,856	100		
750520	Concrete mass block 500 x 200 x 90 - 20kg	20,000	40		
750521	Concrete foundation block ValkPro+ 200 x 200 x 260 - 15.73kg	15,590	72		

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West



VAN DER VALK




SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

ValkPro+ accessoires

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
729521	Aluminium corner bracket for with stainless steel hammerhead bolt M8x20 and lock nut. For fixing Side++ profile to ValkPro+ steel roof carrier.	0,037	200		

ValkPro+ tools for easy installation

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
732022	SS cable retraction bracket ValkPro+	0,044			
739010	Plastic alignment key for roof carrier profile	0,010	300		
743000	Disassembly Tool ValkPro+	0,226	1		
743220	Alignment set for roof carrier profile	1,576	1		

ValkPro+ Max - accessories

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
732013	Plastic multi-cable clip for roof carrier ValkPro+ Max	0,059	75		
732014	Plastic cable protector for side plate ValkPro+ Max	0,007	200		
739011	Plastic panel bracket ValkPro+ Max This component serves as a stop for panel alignment and ensures good drainage along the roof carrier.	0,049	100		

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West





VAN DER VALK




SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

Fastening materials - screws, bolts and nuts

Article number	Description	Weight per unit (kg)	Standard packaging [units]	
773320	Ss thread-forming bolt M6x20mm - T30	0,006	100	
774009	SS. washer M8 DIN 440R (9x28x3 mm)	0,004	200	
774065	Ss bolt M8x65mm	0,030	100	
774221	Ss hammerhead bolt M8x20mm + washer + lock nut	0,026	100	

Service items

Article number	Description	Weight per unit (kg)	Standard packaging [units]	
721581	Alu clamp for power optimizer/micro inverter - clamp to panel - clamping range 28-50mm	0,111	75	
739006	Plastic cover middle clamp - black	0,004	200	
739007	Plastic cover end clamp - black	0,009	100	
739012	Plastic drainage clip. for frame height 25-30 mm.	0,010	250	
739013	Plastic drainage clip. for frame height 30-36 mm.	0,011	250	
774222	Ss mounting set power optimizer/micro inverter - ValkPro+ back plate	0,113	50	

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.

Component List

ValkPro+ | ValkPro+ East West



VAN DER VALK





SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

Torx bits

Article number	Description	Weight per unit (kg)	Standard packaging [units]	
789530	Torx bit T30	0,050	25	

ValkCableCare - Earthing clamp ValkPro+

Article number	Description	Weight per unit (kg)	Standard packaging [units]	
762805	Ss. Earthing clamp with M10 hammerhead bolt for integrating ValkPro+ in the functional equipotential bonding/functional earthing and lightning equipotential bonding according to IEC/EN 62305-3.	0,062	50	
762806	Ss. Earthing clamp with M8 hammerhead bolt for integrating ValkPro+ in the functional equipotential bonding/functional earthing and lightning equipotential bonding according to IEC/EN 62305-3.	0,060	50	

Component List

ValkPro+ | ValkPro+ East West



VAN DER VALK



SOLAR SYSTEMS

Zwartendijk 73, 2681 LP Monster
Nederland
T +31(0)174 21 22 23
F +31(0)174 24 27 27
info@valksolarsystems.nl
www.valksolarsystems.nl

ValkCableCare - Cable and connector clamps

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
732001	Ss cable clamp small	0,002	500		
732011	Plastic cable clamp for back foot ValkPro+	0,010	125		
732012	Plastic multi-cable clip for roof carrier	0,022	125		
732020	Galv. dilatation wire ValkPro+	0,040	50		
738201	Stainless steel connector clamp for mounting to panel frame	0,006	100		
760505	Clip with cable tie attachment on the side of the clip. Cable tie at right angles to profile. For profile thickness 3.0-6.0 mm	0,197	100		
762803	Ss. multi-functional equipotential bonding clamp	0,050	50		

ValkPro+ ridge coupling

Article number	Description	Weight per unit (kg)	Standard packaging [units]		
725154	Alu. ridge coupling ValkPro+	0,057	100		

Date of Issue: Q2 2024 | Version: 2024-V05

Prices are excluding VAT and subject to change. All printing and typing errors reserved.

Van der Valk Solar Systems B.V., registered at the Chamber of Commerce no. 27355116. Our general terms and conditions apply to all our transactions.